

EXTERIOR WALL CALCULATIONS  
 NORTH WALLS - 694 SF  
 SOUTH WALLS - 784 SF  
 EAST WALLS - 1632 SF  
 WEST WALLS - 1360 SF  
 TOTAL WALLS - 5164 SF


EXT. DR./WINDOW SCHEDULE		ALL UNITS TEMPERED			
SYM.	MTGR. NO.	R. O. (W x H)	QTY	COMMENTS	GLAZING AREA
A	HRSCHMANN LFT & SLIDE W/ SCREEN	15-0 x 9-0	1	GBR 1	13.67 x 7.83 = 107
B	HRSCHMANN INSLING W/ SCREEN	3-3 x 9-0	1	MAIDROOM	2.25 x 7.83 = 17.6
C	HRSCHMANN INSLING W/ SCREEN	3-3 x 9-0	1	MAIDROOM	2.25 x 7.83 = 17.6
D	HRSCHMANN CORNER	6-8/16-0 x 5-6	1	MAIDRM BATHRM	22 x 5 = 110
E	HRSCHMANN LFT & SLIDE W/ SCREEN	27-8 x 9-0	1	FAMILY ROOM	26 x 7.83 = 203.6
F	HRSCHMANN LFT & SLIDE W/ SCREEN	14-0 x 9-0	1	LR	12.67 x 7.83 = 99.2
G	HRSCHMANN LFT & SLIDE W/ SCREEN	24-3 x 9-0	1	LR	22.5 x 7.83 = 176.2
H	HRSCHMANN LFT & SLIDE W/ SCREEN	23-0 x 9-0	1	LR	21.33 x 7.83 = 167
I	HRSCHMANN POCKET SLIDER W/ SCREEN	8-0 x 9-0	1	MBR SITTING RM	7 x 7.83 = 54.8
J	HRSCHMANN LFT & SLIDE W/ SCREEN	15-0 x 9-0	1	MBR	13.67 x 7.83 = 107
K	HRSCHMANN LFT & SLIDE W/ SCREEN	13-0 x 9-0	1	MBR	11.67 x 7.83 = 91.4
L	HRSCHMANN POCKET SLIDE W/ SCREEN	5-4 x 9-0	1	M BATH	4.33 x 7.83 = 33.9
M	HRSCHMANN JINING	3-2 x 6-0	1	M BATH	2.5 x 5.33 = 13.3
N	HRSCHMANN CASEMENT	5-0 x 6-0	2	M BATH, DRESSING RM	4.33 x 5.33 = 23 x 2 = 46
O	HRSCHMANN FIXED	5-0 x 6-0	1	M BATH	4.33 x 5.33 = 23
P	HRSCHMANN FIXED/CASEMENT	9-0 x 7-0	1	TV ROOM	8 x 6.33 = 50.6
Q	HRSCHMANN CASEMENT	3-3 x 7-0	2	TV ROOM, BATH 2	2.5 x 6.33 = 15.8 x 2 = 31.6
R	HRSCHMANN JINING	4-0 x 6-0	2	BAR, LAUNDRY	3.33 x 5.33 = 17.75 x 2 = 35.5
S	HRSCHMANN PLANK DOOR W/ SIDELITS	16-0 x 9-0	1	ENTRY	14 x 7.83 = 109.6
T	HRSCHMANN FIXED/CASEMENT	10-9 x 7-0	2	GBR 1 AND 2	9.5 x 6.33 = 60.1 x 2 = 120.2
U	HRSCHMANN CASEMENT	3-0 x 6-0	2	G BATH	2.33 x 5.33 = 12.4 x 2 = 24.8

1639.9 SF GLAZING / 5164 SF WALL AREA = 31.75% WALL AREA

EAST (ENTRY) ELEVATION  
 WALLS - 136' x 12' H = 1632 SF

216 MIDDLE POINT ROAD - ELEVATIONS

ASSESSOR PARCEL 39-8, WEST TISBURY, MA  
 3/16 = 1'-0"  
 3/20/22



MICHAEL BARCLAY, ARCHITECT  
 2 OSPREY LANE, CHILMARK, MA  
 917-601-0140